

## About This Computer

<b>Description:</b>	Shows system version, size of built-in memory, size of virtual memory, the largest unused memory block and how much memory application uses.
<b>Syntax:</b>	Apple Menu > About This Computer
Apple menu > About this computer	Shows how much memory application uses.

## Appearance Control Panel

<b>Description:</b>	Sets themes, fonts, desktop pictures, sounds and appearance options for Finder.				
<b>Syntax:</b>	Apple Menu > Control Panels > Appearance <i>selections...</i> control + click on desktop > change desktop background <i>selections...</i>				
<b>Themes</b> <b>Appearance</b> Appearance Highlight Color Variation <b>Fonts</b> Large System Font Small System Font View Font Smooth all fonts on screen <b>Desktop</b> <b>Sound</b> <b>Options</b> Smart Scrolling Double-Click title bar to collapse windows	Sets predefined appearance schemes for the Finder.  Sets appearance for menus, icons, windows and controls. Sets highlight color for selected text. Sets color for menus and controls.  Sets font for menus and headings. Sets font for explanatory text and labels. Sets font and size for lists and icons. Uses anti-aliasing on fonts larger or equal to the selected size. Sets pattern or pictures to the desktop. Sets the sound for menus, windows, controls and Finder.  Places scroll arrows at the bottom of the window and sizes scroll bar after content. Closes windows by just double-clicking the title bar.				
<b>File Name:</b>	appearance	<b>Directory:</b>	HD: System Folder: Control Panels:	<b>Type:</b>	External
Apple Menu > Control Panels > Appearance> Desktop		Here you can change your background picture.			
Apple Menu > Control Panels > Appearance> Variation		Here you can change the color for the menus.			

## Apple System Profiler

<b>Description:</b>	Shows system information about memory, hardware, network, devices, volumes, control panels, extensions, applications and the system folder.				
<b>Syntax:</b>	Apple Menu > Apple System Profiler				
<b>System profile</b>					
Software overview					
Memory overview					
Hardware overview					
Network overview					
Printer overview					
Production information					
<b>Devices and volumes</b>					
<b>Control panel</b>					
<b>Extensions</b>					
<b>Applications</b>					
<b>System folder</b>					
<b>File Name:</b>	apple system profiler	<b>Directory:</b>	HD: System Folder: Apple Menu Items:	<b>Type:</b>	External
Apple menu > Apple system profiler > Network overview			Shows information about network card.		
Apple menu > Apple system profiler > Applications			Shows information about all applications.		

## AppleCD Audio Player

Description:	Plays music from the CD drive.				
Syntax:	Double-click the AppleCD Audio Player icon.				
File Name:	applecd audio player	Directory:	HD: Applications: AppleCD Audio Player:	Type:	External

## AppleTalk Control Panel

<b>Description:</b>	Configures whether AppleTalk connects via ethernet, modem port, printer port or remote only. Also allows user to see macintosh, hardware and router addresses.		
<b>Syntax:</b>	Apple Menu > Control Panels > AppleTalk <i>selections...</i>		
<b>Connect via</b> Ethernet Modem port Printer port Remote only  AppleTalk address: Node: Network: Network range: Info Options...	 Connects AppleTalk via Ethernet. Connects AppleTalk via the modem port. Connects AppleTalk via the printer port. Connects via remote only. <b>The following options are only available in Advanced or Administrator mode.</b> Specifies whether the AppleTalk node and network should be user defined. Shows or sets the node. Shows or sets the network. Shows the network range. Shows macintosh, hardware and router addresses and Open Transport, AppleTalk version. Allows user to make AppleTalk active or inactive.		
<b>File Name:</b>	appletalk	<b>Directory:</b>	HD: System Folder: Control Panels: AppleTalk <b>Type:</b> External
<b>NOTE:</b>	Change user mode by selecting User Mode under Edit menu.		
Apple Menu > Control Panels > AppleTalk > Ethernet		Here you can change the modem connection to ethernet.	

## Arrange

<b>Description:</b>	Arranges files and folders by name, date, size, kind and label.		
<b>Syntax:</b>	View > Arrange > <i>selections...</i>		
by Name by Date Modified by Date Created by Size by Kind by Label	Arranges files and folders in a alphabetic order. Arranges files and folders after date modified. Arranges files and folders after date created Arranges files and folders by size. Arranges files and folders by kind Arranges files and folders by label.		
<b>TIP:</b>	Use mouse: Control + click in window > Arrange > <i>selections...</i>		

## As Buttons

<b>Description:</b>	Shows all files and folders as buttons in a window.		
<b>Syntax:</b>	View > As Buttons		
<b>TIP:</b>	This is good for kids.		
View > As Buttons		View files and folders as buttons. You only click once to open them.	

## As Icons

<b>Description:</b>	Shows all files and folders as icons in a window.		
<b>Syntax:</b>	View > As Icons control + Click in window > View > As icons		

## As List

<b>Description:</b>	Shows all files and folders as a list in a window.		
<b>Syntax:</b>	View > As List control + click i window > View > As List		

## As Pop-up Window

<b>Description:</b>	Changes the active window to a pop-up window. A pop-up window places itself as a tab at the bottom of the screen.		
<b>Syntax:</b>	View > As Pop-up Window control + click in window > View > As Pop-up Window		

## As Windows

<b>Description:</b>	Changes the active pop-up window to a ordinary window.		
---------------------	--	--	--

<b>Syntax:</b>	View > As Window control + click in window > View > As Window
<b>TIP:</b>	The easiest way to convert a pop-up window to a window is dragging it to the desktop.

#### Boot from a CD

<b>Description:</b>	Starts the computer from a bootable CD.
<b>Syntax:</b>	Hold down the key <code>c</code> during startup.
<b>NOTE:</b>	Standard procedure when the installed system fails.
Hold down the key <code>c</code> during startup.	Installs a new system from a CD

#### Boot from a specified partition

<b>Description:</b>	Enables the computer to boot from a specified partition on your harddrive.
<b>Syntax:</b>	Hold down the keys <code>Command + Alt + E + N</code> during startup.

#### Boot from a specified SCSI-number

<b>Description:</b>	Boots the computer from a SCSI disk with the specified SCSI-ID.
<b>Syntax:</b>	Hold down the keys <code>Command + Alt + Shift + Delete + the SCSI-ID</code> during startup.

#### Boot from internal disk

<b>Description:</b>	Boots from the internal disk when the default startup disk is set to something else.
<b>Syntax:</b>	Hold down the key <code>d</code> during startup.

#### Boot from network

<b>Description:</b>	Boots from a network.
<b>Syntax:</b>	Hold down the key <code>n</code> during startup.
<b>NOTE:</b>	Only works on iMac and later models.

#### Boot from other disk

<b>Description:</b>	Boots the computer from the next disk in the SCSI chain.
<b>Syntax:</b>	Hold down the keys <code>Command + Alt + Shift + Delete</code> during startup.

#### Boot from Zip

<b>Description:</b>	Boots the computer from a internal Zip-drive
<b>Syntax:</b>	Hold down the key <code>z</code> during startup.

#### Calculator

<b>Description:</b>	Is a simple graphical calculator.				
<b>Syntax:</b>	Apple Menu > Calculator				
<b>File Name:</b>	calculator	<b>Directory:</b>	HD: System Folder: Apple Menu Items		Type: External

#### Cancel Operation

<b>Description:</b>	Cancels current operation.
<b>Syntax:</b>	<code>Command + Dot</code>
<code>Command + Dot</code>	Cancels current process.

#### Change Name

<b>Description:</b>	Renames disks, files, and folders.
<b>Syntax:</b>	Click the icon's title bar once, wait until text is selected, then type the new text.