Command Name	NetWare 3	NetWare 4	NetWare 5	NetWare 6	Description
2xupgrde	**2xupgrde.nlm**		ipcu.nlm	ipcu.nlm	Upgrades the server file system.
3cboot	**3cboot.nlm** rpl.nlm	rpl.nlm	rpl.nlm	rpl.nlm	Loads support for diskless workstations.
afp	**afp.nlm** appletlk.nlm	**afp.nlm** appletlk.nlm	appletlk.nlm	appletlk.nlm	Enables support for Macintosh.
alert			**alert**	**alert**	Enables or disables messages.
alias		**alias**	**alias**	**alias**	Shows and defines aliases.
allow	**allow**	rights /F rights *filename*	rights /F rights *filename*	rights /F rights *filename*	Shows the IRF for files and directories.
appletviewer, applet			**appletviewer applet**	**appletviewer applet**	Runs Java applets.
Asynchronous Remote Console	**aconsole.exe**	rconsole.exe	rconsole.exe	rconj.exe	Creates modem connections to servers.
atconfig	atcon.nlm	**atconfig.nlm** atcon.nlm	atcon.nlm	atcon.nlm	Configures the AppleTalk protocol.
atotal	**atotal.exe** paudit.exe	**atotal.exe**	**atotal.exe**		Compiles accounting information.
attach	**attach.exe**	login *server*/*username* /ns	login *server*/*username* /ns	login *server*/*username* /ns	Will login to a NetWare server.
auditcon		**auditcon.exe**	**auditcon.exe** nwadmn32.exe	nwadmn32.exe	Tracks server activity.
bindery		**bindery**	**bindery**	**bindery**	Administers bindery context.
bindfix	**bindfix.exe**	dsrepair.nlm	dsrepair.nlm	dsrepair.nlm	Repairs user account database.
bootpfwd		**bootpfwd.nlm**	**bootpfwd.nlm**	**bootpfwd.nlm**	Forward DHCP requests.
breqnt			**breqnt.exe**	**breqnt.exe**	Btrieve Requester for NT.
breqtcp			**breqtcp.exe**	**breqtcp.exe**	Btrieve requester for W2k/Citrix.
brequtil	**brequtil.exe**	**brequtil.exe**	**brequtil.exe**		Unloads the btrieve requester.
Bridge Console		**brgcon.nlm**	**brgcon.nlm**	**brgcon.nlm**	Manages bridge information.
Btrieve Monitor	**btrmon.nlm**	**btrmon.nlm**	Action: 24		Monitors btrieve activity.
Btrieve Roll Forward (DOS)	**brollfwd.exe**	**brollfwd.exe**	**brollfwd.exe**		Recovers Btrieve files.
Btrieve Roll Forward (Windows)	**wbroll.exe**	**wbroll.exe**	**wbroll.exe**		Recovers changes to Btrieve files.
Btrieve Setup Utility	**bsetup.nlm**	**bsetup.nlm**	Action: 24		Will setup btrieve.
Btrieve SPX Remote Communication	**rspxstub.nlm**	**rspxstub.nlm**			Monitors btrieve remote requests.
butil (client)	brollfwd.exe	brollfwd.exe	**butil.exe** brollfwd.exe nwcrpair.nlm	butil.exe	Repairs Btrieve files.
castoff	**castoff.exe** Action: 11 Action: 12	send /a=c Action: 11 Action: 12	set disable broadcast notifications process = on Action: 11 Action: 12	set disable broadcast notifications process = on Action: 11 Action: 12	Disables network messages.
caston	**caston.exe**	send /a	set disable broadcast notifications process = off Action: 11 Action: 12	set disable broadcast notifications process = off Action: 11 Action: 12	Enables network messages.
cdinst	cdrom.nlm cd	cdrom.nlm cd	**cdinst.nlm** cd	**cdinst.nlm** cd	Creates CD-ROM volumes.

Command Name	NetWare 3	NetWare 4	NetWare 5	NetWare 6	Description
cdrom	**cdrom.nlm** cd	**cdrom.nlm** hfscd.nlm npams.nlm cd	cdinst.nlm cd	cdinst.nlm cd	Creates CD-ROM volumes.
cdrom (nss)			**cdrom.nlm**	**cdrom.nlm**	Creates NSS CD volumes.
charset	keyb.nlm	keyb.nlm	**charset.nlm** keyb.nlm	**charset.nlm** keyb.nlm	Sets code page for keyboard.
chkdir	**chkdir**	ndir *path* /spa	ndir *path* /spa	ndir *path* /spa	Shows volume information.
chkvol	**chkvol**	ndir *drive:* /vol	ndir *drive:* /vol	ndir *drive:* /vol	Shows volume information.
chown	flag *file* /name=*user*	**chown.exe** flag *file* /name=*user*	flag *file* /name=*user*	flag *file* /name=*user*	Changes owner of files.
colorpal	**colorpal.exe**	**colorpal.exe**			Changes colors in menus.
Communication Port Configuration	rs232.nlm	rs232.nlm	**aiocon.nlm** rs232.nlm	**aiocon.nlm**	Configures COM ports.
Configure Print Jobs	**printcon.exe**	**printcon.exe**			Configures print jobs.
ConsoleOne (Client)			**consoleone.exe** consoleonedos.exe c1start.ncf	**consoleone.exe** consoleonedos.exe c1start.ncf	Is a Java management console for NDS.
ConsoleOne (Server)			**c1start.ncf** consoleone.exe consoleonedos.exe	**c1start.ncf** consoleone.exe consoleonedos.exe	Is a Java management console for NDS.
ConsoleOneDos	syscon.exe sysconW.exe	netadmin.exe nwadmn32.exe	**consoleonedos.exe** consoleone.exe nwadmn32.exe	**consoleonedos.exe** consoleone.exe nwadmn32.exe	Manages users and groups.
convinet		**convinet.nlm**	**convinet.nlm**	**convinet.nlm**	Converts MPR configuration files.
CPE Configuration Console			**cpecfg.nlm**	**cpecfg.nlm**	Configures device on serial port.
cset		servman.nlm	**cset** NetWare Management Portal	**cset** NetWare Remote Manager	Configures NetWare operation and performance.
CSLIB Audit Trail Utility			**csaudit.nlm**	**csaudit.nlm**	Configures audit trail database.
cssysmsg	conlog.nlm	conlog.nlm	**cssysmsg.nlm** conlog.nlm	**cssysmsg.nlm** conlog.nlm	Configure system logging.
dhcpcfg		**dhcpcfg.nlm**	DNS/DHCP managment console	DNS/DHCP managment console	Manages the DHCP server.
dilog			**dilog.nlm** xlog.nlm	**dilog.nlm** xlog.nlm	Traces ISDN connections.
Disk Usage Utility	**dspace.exe**	nwadm32.exe	nwadm32.exe	nwadm32.exe	Limits volume usage.
Display Environment		search	**Display Environment**	**Display Environment**	Shows environment.
Display Interrupts			**display interrupts**	**display interrupts**	Shows hardware interrupts.
Display IPX Networks	display networks	display networks	**display ipx networks**	**display ipx networks**	Shows IPX networks
Display IPX Servers	display servers	display servers	**display ipx servers**	**display ipx servers**	Shows IPX servers
Display Modified Environment			**display modified environment**	**display modified environment**	Shows modified environment.

Command Name	NetWare 3	NetWare 4	NetWare 5	NetWare 6	Description
Display Processors			**display processors**	**display processors**	Shows processor status.
Display SLP Attributes			**display slp attributes**	**display slp attributes**	Shows SLP attributes.
Display SLP Services			**display slp services**	**display slp services**	Shows SLP services
dnipinst			**dnipinst.nlm**	**dnipinst.nlm**	Extends NDS schema for DNS/DHCP objects.
dnscnvrt			**dnscnvrt.nlm**	**dnscnvrt.nlm**	Converts Btrieve-DNS files.
DS Diagnostics			**dsdiag.nlm**	**dsdiag.nlm**	Show current NDS configuration, status.
DS Repair		**dsrepair.nlm**	**dsrepair.nlm**	**dsrepair.nlm**	Repairs the NDS database.
dsmerge		**dsmerge.nlm**	**dsmerge.nlm**	**dsmerge.nlm**	Merges NDS databases.
DSMigrate		**dsmigrat.exe** migwin3x.exe	upgrdwzd.exe	upgrdwzd.exe	Migrates file information to NDS.
dstrace			**dstrace.nlm**	**dstrace.nlm**	Traces NDS events.
echo			**echo**	**echo**	Shows text on the screen.
endcap	**endcap**	capture /endcap	capture /endcap	capture /endcap	Terminates the capture of LPT ports.
Enhanced SBACKUP	sbackup.nlm	sbackup.nlm	**sbcon.nlm** tsa500.nlm smsdi.nlm qman.nlm smdr.nlm	**sbcon.nlm** tsa500.nlm smsdi.nlm qman.nlm smdr.nlm	Will backup and restore files.
env			**env**	**env**	Shows Java environment.
envset			**envset**	**envset**	Sets and shows Java environment.
EpsonNet NDPS DriverSetup			**slctdrv.exe**	**slctdrv.exe**	Uploads Epson printer drivers for NDPS.
exit	**exit**	**exit**			Exits to DOS.
File Migration		**migwin3x.exe** dsmigrat.exe	upgrdwzd.exe	upgrdwzd.exe	Migrates file information.
File Salvage Utility	**salvage.exe** Action: 25	filer > salvage deleted files Action: 25	filer > salvage deleted files Action: 25	filer > salvage deleted files Action: 25	Recovers deleted files.
flagdir	**flagdir.exe**	flag /do	flag /do	flag /do	Used to modify attributes for directories.
grant	**grant.exe**	rights.exe	rights.exe	rights.exe	Modifies trustee file rights.
help		**help**	**help**	**help**	Shows help information.
Hewllet-Packard NDPS Gateway			**hpgate.nlm**	**hpgate.nlm**	Configures access for HP printers.
IBM Class of Service Set Manager			**ibmcos.nlm**	**ibmcos.nlm**	Configures Class of Service.
IBM Redundant NIC Utility			**ibmrnic.nlm**	**ibmrnic.nlm**	Manages redundant network interfaces.
inetd	autoexec.ncf	autoexec.ncf	**inetd.nlm** autoexec.ncf	**inetd.nlm** autoexec.ncf	Starts IP services.
initialize system		**initialize system**	**initialize system**	**initialize system**	WIll initialize the system.
In-Place Upgrade	2xupgrde.nlm		**ipcu.nlm**	**ipcu.nlm**	Upgrades the server file system.
Internet Access Server		Action: 121	**niascfg**	Action: 121	Configures Internet access for NetWare server and clients
Internetworking Configuration	install.nlm	**inetcfg.nlm**	**inetcfg.nlm**	**inetcfg.nlm**	Manages network configuration.

Command Name	NetWare 3	NetWare 4	NetWare 5	NetWare 6	Description
iptrace		**iptrace.nlm**	**iptrace.nlm**	**iptrace.nlm**	Traces TCP/IP traffic.
IPX Console		**ipxcon.nlm**	**ipxcon.nlm**	**ipxcon.nlm**	Shows IPX statistics.
IPX Static Routing Configuration		**staticon.nlm**	**staticon.nlm**	**staticon.nlm**	Manages IPX static routes.
jar			**jar** tar.nlm	**jar** tar.nlm	Manages compressed files.
java (Client)			java.nlm	**java.exe** java.nlm	Runs Java programs.
java (Server)			**java.nlm** java.exe	**java.nlm** java.exe	Runs Java programs.
java (Client)			**java.exe**	**java.exe**	Enables the usage of java products.
javac			**javac**	**javac**	Is a java compiler.
javadoc			**javadoc**	**javadoc**	Creates documentation in HTML.
javah			**javah**	**javah**	Creates Java headers.
javap			**javap**	**javap**	Disassembles Java class files
keytool			**keytool.exe**	**keytool.exe** keytool (Server)	Creates issue certificate requests.
keytool (Server)			keytool.exe	**keytool** keytool.exe	Manages Java security.
language		**language**	**language**	**language**	Sets language for NLM's
License Maintenance Utility	version	install.nlm version	**licmaint.nlm** nwucutil.nlm version nwconfig.nlm	**licmaint.nlm** nwucutil.nlm version nwconfig.nlm	Shows and/or installs licenses.
list stage			**list stage**	**list stage**	Shows stages for NLM's.
List Storage Adapters			**list storage adapters**	**list storage adapters**	Shows storage adapters.
List Storage Device Bindings			**list storage device bindings**	**list storage device bindings**	Shows strorage device bindings.
listdir	**listdir** *path*	ndir *path* /do	ndir *path* /do	ndir *path* /do	Shows directory information.
loadstage			**loadstage**	**loadstage**	Loads specified stages of NLM's
makeuser	**makeuser.exe**	Action: 277	Action: 277	Action: 277	Creates multiple users using a script
menucnvt	**menucnvt.exe**	**menucnvt.exe**			Converts Novell menus
menuexe	**menuexe**	**menuexe**			Executes Novell menus
menumake	**menumake.exe**	**menumake.exe**			Compiles Novell menus.
menurset	**menurset.exe**	**menurset.exe**			Shows a menu file.
migrate		**migrate.exe**	upgrdwzd.exe	upgrdwzd.exe	Upgrades bindery to NDS.
Modem Script Manager Application			**wmdmmgr.exe**	**wmdmmgr.exe**	Manages modem scripts.
mpdetect		**mpdetect.nlm**	Display Processors	Display Processors	Shows detected processors.
mpdriver		**mpdriver.nlm**	start processors stop processors	start processors stop processors	Enables/Disables non-primary processors.
named		**named.nlm**	**named.nlm**	**named.nlm**	Starts the DNS server.
Native2ASCII			**native2ascii**	**native2ascii**	Converts Java files.
NCP Addresses			**NCP Addresses**	**NCP Addresses**	Shows NCP addresses
NCP Dump			**ncp dump**	**ncp dump**	Dumps NCP deviation statistics.
NCP Stats			**NCP Stats**	**NCP Stats**	Shows NCP stats.
NCP Trace			**ncp trace**	**ncp trace**	Enables NCP tracing.